

# KIDS SAVE LIVES

Bernd W. Böttiger

Department of Anaesthesiology and Intensive Care Medicine, University of Cologne





### What touched me most in the last years ...





### What touched me most in the last years ...



Nic, 12 years



Kea, 16 years





#### My (further) Conflicts of Interest

□ Director Science and Research,
European Resuscitation Council (ERC)



**♥** Chairman, German Resuscitation Council (GRC)



**▽** Board Member, DGAI & DIVI







#### Of What Will We Die?

#### Cardiac Arrest: A Public Health Perspective

Dawn Taniguchi, MD<sup>a</sup>, Amy Baernstein, MD<sup>b</sup>, Graham Nichol, MD, MPH<sup>C, \*</sup>





Fig. 2. Leading causes of death in United States.





#### Cardiopulmonary Resuscitation (CPR)



cardiac arrest. Using their newly discovered technique of closed chest compression, they successfully resuscitated 14 of the 20 patients. The authors write in their article: "Anyone, anywhere, can now initiate cardiac resuscitative procedures. All that is needed is two hands." Two months later at the annual meeting of the Maryland Medical Society, Kouwenhoven and Jude demonstrated the technique of chest compression and Peter Safar, MD, shared his data supporting the benefit of mouth-to-mouth ventilation. The 2 techniques were combined at that meeting, and modern CPR was born.





## What is Most Important?





#### **Avoidance of Brain Damage With Lay-Resuscitation**

112

xygen deprivation

Abb 1.1: Die Interaktion zwischen Leitstellendisponent und dem Notfallzeugen, der Wiederbelebung durchführt, sowie der rechtzeitige Einsatz eines automatisierten externen Defibrillators sind der Schlüssel, um das Überleben eines Kreislaufstillstandes außerhalb eines Krankenhauses zu verbessern.



New in ERC-Guidelines 2015

Ar







#### **Low Rates of Bystander-CPR**






Figure 3. Survival Following Out-of-Hospital Cardiac Arrest, 2001-2010

Increa









## The Most Important Approach ...











Kea Metje: "I just have taken my friend and we have started ..."

## **Education Must Start Early ...**







**13** 21.11.2016

#### **CPR and Politicians ...**













#### **POSITIVE Social Side Effects**

∇ A belgium male pupil following CPR train a social hot spot:



**UNIKLINIK** INTERN

ZEITUNG FÜH DIE MITARBEITERINNEN UND MITARBEITER DER UNIKLINIK KÖLN - OKTOBER 2013

"For the first tim have touched a hu him or her immed



School Commission of German Ministers of Education, June 6, 2014:

"2. The School Commission reccomends the nationwide implementation of modules of 2 hours / year on the topic "resuscitation" in all schools from class 7 on and suggests to train teachers accordingly."



Deutscher Rat für Wiederbelebung



German Resuscitation Council



Curriculum for school children education

Ausbildungskonzept für einen Reanimationsunterricht innerhalb der Schul-Curricula in Deutschland\*

Mai 2013

www.grc-org.de

Dieses Ausbildungskonzept wird gemeinsam getragen von den im Deutschen Rat für Wiederbelebung – German Resuscitation Council (GRC) e.V. zusammen arbeitenden Organisationen:





20, AVENUE APPIA - CH-1211 GENEVA 27 - SWITZERLAND - TEL CENTRAL +41 22 791 2111 - FAX CENTRAL +41 22 791 3111 - WWW.WHO.INT

Resuscitation 94 (2015) A5-A7



Contents lists available at ScienceDirect

## Resuscitation





Editorial

15


Kids save lives –



Training school children in cardiopulmonary resuscitation worldwide

... for the first time in the Guidelines now!

granted on the following conditions:



746 Mio.

Overall spreeding of the campaigne

4.600

Mal wurde der Aktionskoffer heruntergeladen

Every inhabitant was reached – in mean – 9 times

838

Beiträge in Print, Online und TV

**22.000** 

Interaktions on Facebook with fans

360.000

People were trained in CPR

**74%** 

Der Beiträge enthalten mind, eine Kernbotschaft

14

TV-Beiträge während der Aktionswoche

50.000

Visitors on website since January 2013

100.000

Views on YouTube since August 2013

519.000

Hits on Google



300

**External Tweets on Twitter** 

13.000


Fans on Facebook







### Did this help in Germany?









EUROPEAN RESUSCITATION COUNCIL



## KIDS SAVE SAVE LIVES



Belgium Denmark France Italy Portugal

The countries with kids with green hair have a legislation about CPR education, the countries with kids with yellow hair have CPR education as a suggestion.



#### A SUGGESTION

Cyprus Czech Republic Germany Hungary Luxembourg Malta Netherlands Norway Poland Romania Russia Serbia Slovenia Swiss/Ticino Turkey United Kingdom

Semeraro F et al., ERC Research NET, Resuscitation 2016



#### Resuscitation

journal homepage: www.elsevier.com/locate/resuscitation

**EUROPEAN** 









Editorial

Kids Save Lives - ERC position statement on school children education in CPR.

"Hands that help - Training children is training for life"

Sudden out-of-hospital cardiac arrest (OHCA) with unsuccessful cardiopulmonary resuscitation (CPR) is the third leading cause of death in industrialised nations. 1 After OHCA, the overall survival rates are 2-10%.2-4 In Europe and in the US together, 700,000 people die of OHCA every year. The same applies to other industrialised regions of the world. Many of these lives could be saved if more lay people provided immediate CPR.2 Emergency medical services (EMS) response times can be several (6–12) minutes or even longer. Unfortunately, following cardiac arrest, the brain starts to die after only 3-5 min without blood flow.5

Up to 70% of OHCA are witnessed by family members, friends and other bystanders.25 Thus, the potentially lethal gap in time before EMS personnel reach the patient can be successfully bridged by laypeople. During the first minutes after OHCA in adults there is




## in 11 languages at http://restartaheart.eu

Resuscitation (ILCOR) and the World Federation of Societies of Anesthesiologists (WFSA).6,10,11 This statement recommends two hours of CPR training annually from the age of 12 years in all schools worldwide. At this age, children are more responsive to instructions and they learn more easily to help others.9 Starting at a young age

Fig. 1. The "KIDS SAVE LIVES" logo has been developed by the Italian Resuscitation Council (IRC). We very much appreciate and acknowledge that the IRC is providing this logo for free to all participating in the "Kids Save Lives" campaign in Europe.

Böttiger BW et al., Resuscitation 2016



21.11.2016



## & School Children CPR



"KIDS SAVE LIVES" et al. ...



We will safe + 100.000 EU liv





#### **SOCIETY SAVING LIVES**

The European Resuscitation Council invites you to its **2017 Scientific Congress**. This will be held in Freiburg, Germany 28 - 30 September 2017.