



# Kids save lives in Italia e in Europa





Federico Semeraro Ospedale Maggiore, Bologna,



## **Disclosure**





President Italian Resuscitation Council
Educational Committee (SEC) BLS co-chair ERC
FERC European Resuscitation Council
EuReCa One & Two National Coordinator
A breathtaking picnic and Relive Project Coordinator
Star Wars & Star Trek addicted

# Dedicated to the Next Generation

Andrea was born 20<sup>th</sup> November 2010

20<sup>th</sup> November 2010 6.35 his first photo with iPhone

23<sup>th</sup> November 2010 Andrea slept with music from iPod





# Captain's Log







Bystander CPR
Kids save lives update
Kids save lives on social media
Serious games & Apps
Future plans









# Bystander is the key of success













#### **ORIGINAL ARTICLE**

# Bystander Efforts and 1-Year Outcomes in Out-of-Hospital Cardiac Arrest

Kristian Kragholm, M.D., Ph.D., Mads Wissenberg, M.D., Ph.D., Rikke N. Mortensen, M.Sc., Steen M. Hansen, M.D., Carolina Malta Hansen, M.D., Ph.D., Kristinn Thorsteinsson, M.D., Ph.D., Shahzleen Rajan, M.D., Freddy Lippert, M.D., Fredrik Folke, M.D., Ph.D., Gunnar Gislason, M.D., Ph.D., Lars Køber, M.D., D.Sc., Kirsten Fonager, M.D., Ph.D., Svend E. Jensen, M.D., Ph.D., Thomas A. Gerds, Ph.D., Christian Torp-Pedersen, M.D., D.Sc., and Bodil S. Rasmussen, M.D., Ph.D.


N Engl J Med 2017; 376:1737-1747 May 4, 2017 DOI: 10.1056/NEJMoa1601891

Absolute Risk of Anoxic Brain Damage or Nursing Home Admission and Death from Any Cause at 1 Year of Follow-up According to EMS-Witnessed and Bystander-Intervention Status.

Shown are the 1-year absolute risk of anoxic brain damage or nursing home admission and the 1-year absolute risk of death from any cause in relation to EMS-witnessed and bystander-intervention status.

Data for 2527 of 2855 patients are included; those with missing status for bystander CPR or bystander defibrillation (328 patients) are not included in the analyses. Squares indicate point estimates (absolute risks), and I bars 95% confidence intervals.












#### **ORIGINAL ARTICLE**

# Early Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest

Ingela Hasselqvist-Ax, R.N., Gabriel Riva, M.D., Johan Herlitz, M.D., Ph.D., Mårten Rosenqvist, M.D., Ph.D., Jacob Hollenberg, M.D., Ph.D., Per Nordberg, M.D., Ph.D., Mattias Ringh, M.D., Ph.D., Martin Jonsson, B.Sc., Christer Axelsson, R.N., Ph.D., Jonny Lindqvist, M.Sc., Thomas Karlsson, B.Sc., and Leif Svensson, M.D., Ph.D. N Engl J Med 2015; 372:2307-2315 June 11, 2015 DOI: 10.1056/NEJMoa1405796





### Changes over Time in CPR Training, the Performance of Early CPR, and Survival Rates.


Panel A shows the number of persons in Sweden who were trained in cardiopulmonary resuscitation (CPR) and the proportion of patients in whom CPR was started before the arrival of emergency medical services (EMS). Panel B shows the survival rate when CPR was given and when CPR was not given before EMS arrival. In both panels, the vertical line (T-CPR) indicates the year in which telephone-assisted CPR was introduced in Sweden.



#### Original Investigation

Association of National Initiatives to Improve Cardiac Arrest Management With Rates of Bystander Intervention and Patient Survival After Out-of-Hospital Cardiac Arrest







Increase to about 300 000 first aid certificates distributed annually (2008-2010)



## Kids save lives


# 13.14OTTOBRE

### CENTRO CONGRESSI MAGAZZINI DEL COTONE PORTO ANTICO GENOVA

### A statement from:







**Endorsed by** 





Editorial

Kids Save Lives -- ERC position statement on school children education in CPR.



"Hands that help - Training children is training for life"





"Kids Save Lives": Educating Schoolchildren in Cardiopulmonary Resuscitation Is a Civic Duty That Needs Support for Implementation

Bernd W. Böltiger, MD, ML, DEAA, FESC, FERC, Federico Serreraro, MD, FERC; Satine Winger, MA



Eur J Anaesthesiol 2017; 34:1-5

#### **EDITORIAL**

### KIDS SAVE LIVES

School children education in resuscitation for Europe and the world

Bernd W. Böttiger, Federico Semeraro, Karl-Heinz Altemeyer, Jan Breckwoldt, Uwe Kreimeier, Gemot Rücker, Janusz Andres, Andrew Lockey, Freddy K. Lippert, Marios Georgiou and Sabine Wingen



## Kids save lives statement



"...We recommend educating school children in resuscitation from the age of 12 years or earlier for 2 h per year. If school children receive such training, they are also likely to teach this to their family at home — and they themselves will never forget. We will see not only an increase in the number of cardiac arrest survivors worldwide, but also the social benefits of enthusiastic and positive young people. They learn to help others. School children and teachers are important "multipliers" in both private and public settings and thus, in the longer term, the proportion of trained individuals in society will markedly increase, leading to an increase in the overall rate of lay resuscitation...."











Eur J Anaesthesiol 2017; 34:1-5

### **EDITORIAL**

### KIDS SAVE LIVES

School children education in resuscitation for Europe and the world

Bernd W. Böttiger, Federico Semeraro, Karl-Heinz Altemeyer, Jan Breckwoldt, Uwe Kreimeier, Gernot Rücker, Janusz Andres, Andrew Lockey, Freddy K. Lippert, Marios Georgiou and Sabine Wingen





13.14OTTOBRE

DALL'EVIDENZA AI TRATTAMENTI FUTURI

CENTRO CONGRESSI MAGAZZINI DEL COTONE

PORTO ANTICO GENOVA

Table 1	Historical milestones in	school children	education in resuscitation

Until 2009	In Norway, school children education in resuscitation was established in the 1960s. In Denmark, elementary school children education in resuscitation was made mandatory in 2005. Further initiatives and projects have been established in a few other European countries and in the United States. <sup>5,14,15</sup>
2009	Annual congress of the European Resuscitation Council in Cologne, Germany. During the precongress of the German Resuscitation Council, 400 school children were trained by representatives of the German Resuscitation Council together with the 'miniSanitäter' organisation from Munich, Germany (http://www.minisanitaeter.de/projekte5.html)
2010	Annual congress of the European Resuscitation Council in Porto, Portugal: 200 school children were trained in resuscitation  In Germany, anaesthesiologists from the Department of Anaesthesiology and Intensive Care Medicine of the University of Rostock started the education of school children and teachers in resuscitation all over the German Federal State Mecklenburg-Vorpommern — with the support from the Ministry of Schools and the 'Björn Steiger Stiftung'. The aim was to educate all school children in Mecklenburg-Vorpommern in resuscitation
2011	With the support from Cypriot members of the European Parliament, representatives of the European Resuscitation Council and the German Resuscitation Council started a European initiative for more awareness for cardiac arrest and resuscitation, including school children education in resuscitation (written declaration on establishing a European Cardiac Arrest Awareness Week), at the European Parliament in Strasbourg, France. This 'written declaration' was signed by 395 members of the European Parliament from different political parties – all over representing more than 50% of all members of the European Parliament (http://www.europarl.europa.eu/sides/getDoc.do?pubRef=-//EP//TEXT+TA+P7-TA-2012-0266+0+DOC+XML+V0//EN)
2012	The German Resuscitation Council published its Curricula for school children education in cardiopulmonary resuscitation in both English and German (at www.grc-org.de/reanimationsunterricht)  Representatives from the European Resuscitation Council and the German Resuscitation Council visited the European Commissioner for Health at the European Parliament in Strasbourg. The only topic was the relevance and the importance of cardiac arrest, cardiopulmonary resuscitation and school children education in cardiopulmonary resuscitation. Our aim was to generate and establish more visibility for this topic at the highest European level and to start an annual European Cardiac Arrest Awareness Week – later named 'European Restart a Heart Day'
2013	The first 'European Restart a Heart Day' was launched on 16 October by the European Resuscitation Council – with the support from 32 National Resuscitation Councils within the European Resuscitation Council family and with initiatives in more than 20 European countries. The topic all over Europe was 'Children Saving Lives' (www.erc.edu/about/restart)
	In Germany, the 'Woche der Wiederbelebung' (week of resuscitation) was launched by the German anaesthesiologists (Deutsche Gesellschaft für Anästhesiologie und Intensivmedizin, Berufsverband Deutscher Anästhesisten, Stiftung Deutsche Anästhesiologie) together with the German Resuscitation Council and with the support of the German Health Minister (www.einlebenretten.de)
	Representatives from the European Resuscitation Council and the German Resuscitation Council – together with the 13-year-old Nic and the 17-year-old Kea, who had successfully resuscitated Nic 1 year before at their school, when he had a sudden cardiac arrest because of cardiac abnormalities – showed the European Commissioner for Health and his colleagues at the European Commission in Brussels how easily cardiopulmonary resuscitation can be performed (www.erc.edu)
	Guinness World record of the Department of Anaesthesiology and Intensive Care Medicine in Münster, Germany: 11 840 school children were trained together in resuscitation at the Schloßplatz in Münster (https://www.youtube.com/watch?v=WvHJF0bwQ)
	In Poland since 2013 and every year on 16 October the Great Orchestra of Christmas Charity Foundation (Jurek Owsiak) in close collaboration with the Polish Resuscitation Council has organised the 'European Restart a Heart Day' – children from across Poland attempting cardiopulmonary resuscitation demonstration for half an hour to set records in numbers of children performing simultaneously cardiopulmonary resuscitation on manikins. For the first time, they came together in 2013 and proved that children in Poland know how to save lives – 83 111 people performed cardiopulmonary resuscitation simultaneously at 1132 various schools, public places and institutions that hosted the events (http://www.wosp.org.pl/uczymy-ratowac/rekord)
	In Italy since 2013 and every year on the second week of October, the Italian Resuscitation Council has organized a cardiac arrest week called

"Vival" with the aim to increase awareness in the general population and younger generations. The Italian Resuscitation Council invested resources on digital communication with social network, serious games and apps (http://www.ircouncil.it/per-il-pubblico/settimana-viva/)







2014	In Germany, and upon an initiative of the German anaesthesiologists together with the German Resuscitation Council, the School Committee of the School Ministers of all 16 Federal States recommended training teachers in resuscitation to enable them to train school children in cardiopulmonary resuscitation – for 2h per year, starting at the age of 12 years (www.grc-org.de)
	The European Patient Safety Foundation, the European Resuscitation Council, the International Liaison Committee on Resuscitation and the World Federation of Societies of Anaesthesiologists supported the 'KIDS SAVE LIVES' statement, which suggests 2 h of resuscitation training in school children per year, starting at the age of 12 years 13,14
	In Poland, 67 396 school children all over the country jointly trained cardiopulmonary resuscitation for the 'European Restart a Heart Day' (http://www.wosp.org.pl/uczymy-ratowac/rekord)
2015	The 'KIDS SAVE LIVES' statement from European Patient Safety Foundation, European Resuscitation Council, International Liaison Committee on Resuscitation and World Federation of Societies of Anaesthesiologists was endorsed by the WHO 16,17
	The Health Minister from the Republic of the Sudan pledged support for the 'KIDS SAVE LIVES' initiative
	In Italy, the School Minister established a law for nationwide mandatory education of school children in resuscitation; the Italian Resuscitation
	Council supported this legislation with a flash mob with school children and a press conference in the Italian Parliament (http://www.resuscitationjournal.com/article/S0300-9572(16)30299-4/abstract)
	In Italy, during 'Vival' 2015 'Relive' was launched, the first 'serious game' with no profit purpose to increase awareness about cardiac arrest and cardiopulmonary resuscitation in children of secondary school (http://relivegame.org)
	In Poland, 92 049 children performed cardiopulmonary resuscitation demonstrations on 5411 manikins at schools and public places during the 'European Restart a Heart Day' event (http://www.wosp.org.pl/uczymy-ratowac/rekord)
	In the United Kingdom, the Resuscitation Council distributed free copies of its award winning Lifesaver app (http://www.lifesaver.org.uk/) to all secondary schools
2016	In France, first aid and resuscitation training became mandatory by national law for all schools
	Greece – with Hellenic Society of Emergency Prehospital Care – participated in the 'KIDS SAVE LIVES' movement: in Thessaloniki, 300 educated school children demonstrated in public how to perform cardiopulmonary resuscitation (https://m.youtube.com/watch?v=78AhihA9uHE)
	The European Resuscitation Council published the 'KIDS SAVE LIVES' position statement, <sup>18</sup> which has now been translated into 12 languages and is available on the European Resuscitation Council website. This statement demonstrates and explains the 10 fundamental principles of school children education in resuscitation
	The Italian, German and European Resuscitation Councils published the 'KIDS SAVE LIVES' video - Saving a life is a child's play, where the 10 principles of the European Resuscitation Council Position Statement are presented; this video is freely available and can and should be shared
	on websites, social media and other platforms and places (https://www.youtube.com/watch?v=0Yf4umHnD3c
	The European Society of Anaesthesiology supported the 'KIDS SAVE LIVES' initiative by publishing the European Resuscitation Council Position Statement on its website (http://newsletter.esahq.org/kids-save-lives-erc-position-statement-on-school-childrens-education-in-cpr-hands-that-

help-training-children-is-training-for-life/)







	The European, Italian and German Resuscitation Councils – under the umbrella of the 'ERC Research NET' – performed a detailed survey or school children education in resuscitation in 34 European countries and published the results <sup>12</sup>
	The Italian Resuscitation Council developed an App entitled 'a breath-taking picnic' for 6 to 8-year-old children to show them how to perform resuscitation. With the help of other European national resuscitation councils, this App has been translated into Dutch, French and German (https://www.youtube.com/watch?v=UYlvdUcGjz0)
	The Romanian Health Minister supported the worldwide 'KIDS SAVE LIVES' initiative at the WHO
	In Italy, 2500 school children were trained in resuscitation and certified in Basil Life Support within the 'KIDS SAVE LIVES' activities during the annual congress of the Italian Resuscitation Council in Milan
	In Germany, and under the patronage of the German Health Minister, a National Initiative was founded (Nationales Aktionsbündnis Wiederbelebung) with the goal to educate school children and other lay people in resuscitation, and to increase the lay resuscitation rates in Germany to more than 50% by 2020. This National Initiative is supported by many organisations and specialties, and it was initiated during an event with 100 school children in front of the Brandenburger Tor in Berlin (www.wiederbelebung.de)
	Guinness World record in resuscitation was achieved by the University Hospital of Cologne, Germany - people from 74 different countries successfully performed resuscitation on a manikin in the attempt 'Most Nationalities in a CPR Relay' (https://youtu.be/83vCRWvw_IY)
	The 'European Restart a Heart Day' 2016 of the European Resuscitation Council – with activities and events by National Resuscitation Councils in more than 20 European countries – had the motto 'KIDS SAVE LIVES' (www.erc.edu)
	In Poland, close to 90 000 children were registered for the 'European Restart a Heart Day' event (http://www.wosp.org.pl/uczymy-ratowac/rekord
	In the United Kingdom, the Resuscitation Council led a partnership with British Heart Foundation, St. John, British Red Cross and all ambulance trusts that trained 150 581 school children in resuscitation on the 'European Restart a Heart Day' of the European Resuscitation Council (https://www.resus.org.uk/events/rsah/)
And what is in 2017?	The European Resuscitation Congress 'Resuscitation 2017' of the European Resuscitation Council will be held on 28 to 30 September in Freiburg im Breisgau in Germany. On Thursday, 28 September the Germany Resuscitation Council will organise a big event with 'KIDS SAVE LIVES' during its German part of the congress (www.grc-org.de)



Adapted with permission. 13

4 Böttiger et al.



# **Kids Save Lives Logo**











## **Kids Save Lives**





#### KIDS SAVE LIVES

Statement Kids save lives

Training school children in cardiopulmonary resuscitation worldwide

A Statement from the European Patient Safety Foundation (EuPSF), the European Resuscitation Council ENC), the International Luxinon Currentities on Resuscitation (ECOR) and the World Federation of Societies of Ameritensologists (MFSA):

This Statement has been endorsed by the World Health Organization (WHO)
Prof. Dr. Bernd W. Bittiger (University Hospital Cologne, Germany)
Prof. Dr. Dr. ht Hugo K. Van Alem (University Hospital Mireter, Germany)



https://kids-save-lives.net

### Kids Save Lives



http://kids-save-lives.ning.com



# Kids Save Lives – ERC position statement on school children education in CPR

## 13 · 14 O T T O B R E

DALL'EVIDENZA AI TRATTAMENTI FUTURI

CENTRO CONGRESSI MAGAZZINI DEL COTONE PORTO ANTICO GENOVA

Resource (EUDIS) N. 41



### Contacts him available at Television Con-

DUROFEAN RESUSCITION.

Resuscitation

Kids Save Lives - ERC position statement on school children education

"Hands that help - Training children is training for life"

Suddien to p. of hespital cardia: arrest (CPCA) with orecords ful cardiopolinionary resourceation (CPA) is the third leading cause of doubt in industrial and nations." After CHCA, the several curvinal tates are 3-40%, 1-10 Earspe and to the US together, 706,000 peogie die of CHCA every year. The same applies to other industrialised regions of the world. Many of these lines could be saved if more Lix beinde provided connellate CPR.1 Emergency medical services (EME) response tiresposar be unwest (6-12) extrusions even longer Unformationly, hollowing cardiac arrest, the broat starts to die after ently 3.5 min without Wood flow."

Up to 70% of OVCA are witnessed by family members, friends and other fustanders. "Thus, the potentially tethal gap in rane helian TMS personnel rough the puttors can be macrossfully bridged by largeogile. During the first retrains after OHCA in adults filters is utill anygen in the blood and lungs, and immediate bystander chest commerciality can use frontially of the counts of loss early said. Effective CPE in state easy - factorials are very unlikely to cause have by attempting CPS. Bystander CPS increases the patient's chances of named two- to four-falk." However, hydrader CPS rates are 60-80% to only 4 very few countries; in most countries

Mandanory nationwide training of school children has the highest impact for improving the hystander CPE sale. 31 This appears to be the most successful way to reach the entire population. The highest ligitander CPR rates are no some Scandinavian countries where education of school children in CPE has been mandatory for decades,12 and this concept is sturting to spread. in regreen, the World Health Organization (WHO) has and pred

the "Kids Size Lives" Streetper in 2015, a soon streeten from the European Messocitation Council (EMC), the European Pytion Colory Foundation (EPSE), the International Dates a Correction of Resocitation (ILCOR) and the World Federation of Secreties of Acestfesiologies (WPSA) Little This sustainest necessarials two hours of CPR training annually from the age of 12 years in all schools worldwide. At this age, children are most responsive to instructions and they learn more easily to help others." Starting at a young age also means that CPR to file swimming or riding a blor, children will and forgot how to some a life.16 Healthcare professionals, teachers tracked to reach CPE and reflect can suspensively teach wheel childres, and all can serve as multipliers." CPX incodedge and skills can be oproud further by politing children to reach their family and

PUR STOR Will Dente beland 24 All options and



Coulout 1860. We want touch above but and achieved-she flux the IRC's providing this loge for true is all post-routing to the "Data lave latter" computer to festion

With the "Blds lave liver" settative (Fig. 1), we can help to improve the survival rate of people with OHEA by the factor of nonto fourfold. We can exitly case 100,000 additional lives worldwide every year, readly a thousand mony day, and entity one life every

The 10 EEC principles - increasing coronal with 'Math Save

- 1. Districts can pass a ble-west children can new a ble-2. Up to has hears of CPR training a year for wheel children in
- S. Training must proving hands-on practice which may be augmented with theoretical - techning stread - learning 5 Spits. Successful and been perfected without septembers appoint ness or specific resources on marshine.
- 4. Account making of wheel children should start by the up of 12
- % Trained children should be encouraged to main other people. The homework for all its library after such maining about the place true 10 other people within the year two weeks and
- A wide range of people, including assessmenting an auditory gists, emergency physicians, morest, parameters, steelingland other heddfrown students, trained machen and many other unkertown can aucomobile much achief children in CFS - in echools, in haspitals and elsewhere."
- T. The tergonishts possible in the Minister of Libraries gallier Ministered schemand of or leading politicians of such courmy should implement a nationerie programme for realting
- A free National Respectation Council MRC or under regions. tion thought opport the implementation of a national institute. and "Kido Sove Lives" computer in its country.
- and "Mark form Liver" companing to the change;

  Mich "Mark Control Liver" companing to the change;

  Mich "Mark Control Liver" companing to the change of the

Serval VII. Stittager is ERC Study Consider Science and Newsyn Sci. toxoland tillion foreigner borted of Alumbershipp: Tyndrol honorarum from Mediadate, FoMF, Naralta, Store Vital, Chairnut. German Resoultation Council (CRC), Board Member, German Society of Recombinations and Intensive Core Mindrale (SGAS) band Meeting German Saciety of Introduciplistes Interview Care and Tenergonico Wedictor (2017): Associated Colory, Respectation. tay Smoot is DK. Stord Representative of the Administry Committee, Master Current in Chart, European Sessionation Council. Diana Company has no coefficie. Advance Representative of NACO 180 Burtl Manus Georges in 180 Burd Deerter Esternal edians. Notice Golf is that Sward Deerter Frances and Interior ton; fallor in Chef. Trends in Ameribesis and Cittical Care Appoints Addres Torograp Degree of Amarchampings, Works Crimital has no conflicts. Analy Landay has no conflicts. Conten care has no conflicts, lies blacemental has no conflicts; last of the serting group on the purchasts pudelows for ESC, finally Minister is RIC than't literar Marketing Suescal G. Manseets to SMC Streets' Guidelites and 8,00%, Sery P. Nolan to Yor Char hangest beautitate Coatol; littles in Charl beautitates. Cast in Petits in bitte, beautitates, National Institute become Ope Southing UK Views Sallar for to coeffice. purble: Schlieber is Chair, ENC International Course Committee for Democratic City Support: Sound Wombur: Austrian Responsibles Darrell (ARC), Federice Temeratura Chairman, Kallan Resourtstion Council (MC); Someon liver in Sidner, Securitation, Algorita Trabler is DRC Reset Offective NRC Representative Portick Van de Visede has no coefficts, signifium Wolfie in DEC not-sociog found

, media, Rossilate Core IVE amater media. Salve Visgen has see medical.

- J. Torquelli X. Berrenne H. Heleff L. Carbin, alter a public health-programs

- C. Aughria E. Miscolery H. Streeger Di. et al. Street to soot in our

### \*Dynamic Resentation Cover 6 (1981), Well Judgium

Department of Insurcliministy and Normain Care Mobile Deletily Wegeld and Dissertity of

Ll. Secure \*Damping Resolution District 2005 Feel Brigary \*(Decemby of Amounts, Rateurs, Skipper

McCarpby! \* Department of Emergency Workshow and Services landade Charactery Hospital and Helicale Charactery Anticols, Project

Despute Resolution Daniel (1971), Nel Jefgun "Distriction of bindates and Pharmacy G.T. Page last Energinio Digurtment - Energinio Guard Hopeled III Specialty, Said Recognition





# Kids Save Lives – ERC position statement on school children education in CPR





The 10 ERC principles – increasing survival with "Kids Save Lives":

- 1. Everyone can save a life even children can save a life. 9-16
- Up to two hours of CPR training a year for school children is enough.<sup>9-11,15,16</sup>
- Training must involve hands-on practice which may be augmented with theoretical including virtual learning.<sup>9</sup> Such training has also been performed without sophisticated equipment or specific resuscitation manikins.
- Annual training of school children should start by the age of 12 years or earlier.<sup>9–11,15</sup>
- Trained children should be encouraged to train other people. The homework for all children after such training should be: please train 10 other people within the next two weeks and report.
- 6. A wide range of people, including anaesthesiologists, cardiologists, emergency physicians, nurses, paramedics, medical and other healthcare students, trained teachers and many other volunteers can successfully teach school children in CPR in schools, in hospitals and elsewhere 6.9.15.16
- The responsible people in the Ministries of Education and/or Ministries of Schools and other leading politicians of each country should implement a nationwide programme for teaching CPR to school children.<sup>12</sup>
- Every National Resuscitation Council (NRC) or similar organisation should support the implementation of a national initiative and "Kids Save Lives" campaign in its country.
- With "Kids Save Lives", children will also learn relevant social responsibility and social skills.<sup>9–11</sup>
- National programmes that train school children in CPR can save more lives, improve productivity of society, and reduce healthcare costs. 12.17








# Kids Save Lives – ERC position statement on school children education in CPR













KIDS SAVE LIVES implementation in Europe: A survey through the ERC Research NET





Federico Semeraro
Sabine Wingen, Daniel C. Schroeder, Hannes Ecker
Andrea Scapigliati
Giuseppe Ristagno
Bernd W. Böttiger



DOI: http://dx.doi.org/10.1016/j.resuscitation.2016.08.014





# **European Survey about School training**

Laws about first aid/CPR training
Topic covered by training (CA, choking, first aid)
Training modality (traditional, e-learning, etc)
Kids save lives Europe Infographic Map






### 13 · 14 O T T O B R E

DALL'EVIDENZA AI TRATTAMENTI FUTURI

CENTRO CONGRESSI MAGAZZINI DEL COTONE PORTO ANTICO GENOVA







# Kids Save Lives 2<sup>nd</sup> Survey





Home

**ERC Statement** 

KIDS SAVE LIVES – Saving a life is a child's play

### **KIDS SAVE LIVES**

Kids save lives 2nd Survey online in progress. Click here to partecipate



https://kids-save-lives.net/



# Kids Save Lives supported by ILCOR & ERC





Kids Save Lives – ERC position Statement – European Restart a Heart Day

Kids Save Lives – ERC position StatementWe are delighted to present to you the Kids Save Lives – ERC position statement on school children education in CPR....

RESTARTAHEART.EU



If you watch one video today: Saving a life is child's play. #kidssavelives #restartaheart Excellent work by Italian Resuscitation Council.



# Kids Save Lives - Saving a life is a child's play

"Saving a life is a child's play, and we all can give a hand." A project created and promoted by Italian Resuscitation Council (www.ircouncil.it) in collabor...

YOUTUBE.COM





### 13 · 14 O T T O B R E

DALL'EVIDENZA AI TRATTAMENTI FUTURI

CENTRO CONGRESSI MAGAZZINI DEL COTONE PORTO ANTICO GENOVA

This Recordance Council count benefit and death plants IRC III transplant to the Council count benefit and the country and the country and the country are the country are the country and the country are th

Provided of the Counties of Depotes of Yally On Laure Bookins suggest etophisms and to EST - Employee Recommend of Secret A Solve Secret Secret A Solve Secret Secr



Hans van Schuppen @HansvanSchuppen - May 6
Kids dan learn #CPR and save a life! Download the app from @mountal
appallo remirGab, 9 i It's fuel @ERC result @foor ong #kids.sevelives



Millianium of the Jini Congress or Strengers; Frencycle Con in Planature. You have 100 pulsers arrulated have to had a color or form; confer or not 100 feet from



German Resourceation Council GRC/ Deutscher Rat tin Winderbellebungs e.V.

Healthe Grate en ele Freunde und Fann som GRC. Trags de Botschaft water!

When products all thirute and best of pr.: Cally the ressings out • here his houses



German Resuscitation Council GRC/ Deutscher Rat für Wiederbelebung e.V.

19 September 2016 - @



IRC

#### Italian Resuscitation Council

Published by © Caterina Batzl [7] - 5 November 2016 - €

Una settimana fa si svolgeva il nostro Mass Training di #RCP, a cui hanno partecipato più di 2.000 ragazzi che oggi sono soccorritori con certificazione BLSD. #settimanaviva #Viva2016 #KidsSaveLives
In questo video vi raccontiamo quella fantastica giornata.

https://www.youtube.com/watch?v=TDI0toQD-wc



### Mass training "Kids save lives" 2016

Mass Training "Kids save lives" 22 Ottobre 2016 NH Milano Congress Centre Assago Per info: http://www.ircouncil.it/congressi/congresso\_34 Sl ringraziano tutt...

YOUTUBE:COM

edu Koskenalantie @koskenalantie : Feb 10 kidssavelives #elvytys tapahtuma #seinajoki 10.2.2017. Koko video loytyy soitteesta facebook com/ensihoidonkoul.

ranslated from Finnish by birig

Wrong translation?

kidssavelives #elvytys the event #seinājoki 10.2.2017. The full video can be bund at facebook.com/ensihoidonkoul...



Just a few of the 64-bilithous who proved to the Immission Compression of Records attempt for Allesdants sout damag are July ACSR bearing over the section of add the Groun loans (88 Castry). In Stood and Impeditions to the Ground to the Compression of the Comp





Am Diemstag haben Bundengewundheitungster Hermann Gröhe und Dir Heidrum Thess, Lestenn der Bundeszentrale kir gesundheitliche Aufkarung (BZgA), der Gesamtschule-Hennel Meiersheide besucht, um mit 180 Schalermenn und Schlieher Wiederbäleitungsmaßnahrtein zu üben.

Translay bordesperant/he/anmoler hermann-grohe and Dr. Heidrun Trans. director of the federal introdity for economic conjumition and development (Bmz). The comprehensive school Jeddan Meen's end to feede with 150 students restrictation.

G - Flate this menutation





## 13 · 14 OTTOBRE

DALL'EVIDENZA AI TRATTAMENTI FUTURI

CENTRO CONGRESSI MAGAZZINI DEL COTONE
PORTO ANTICO GENOVA



On October 16, schools across the country will be training young people in CPR. Learn more and join in today. http://dbl.ly/21/JJZ221





#### Παιδιά.

Οι διασώστες του αύριο!

Για να πάρει μέρος και το δικό σας σχαλείο στο εγκεκριμένο από το ΥΠΠΕΘ πρόγραμμα, θα πρέπει να συμπληρώσετε τα στοιχεία σας εδώ: http://www.kidssavelives.gr/%CE%B8%CE%B5%CE%BB%CF%89-%CE%B.../

Visualizza traduzione





9 Nobraio · ©

Die Bundeszentrale für gesundheitliche Aufklärung (BZgA) schulte gestern und heute ihre eigenen Mitarbeiter und Mitarbeiterinnen in Reanimation. "Jeder von uns kann zum Lebensretter werden.", so Dr. Heidrun Thaiss, die Leiterin der BZgA.

Visualizza traduzione





Una giornata all'insegna della formazione e dei diverlimento! 

NELIVES e Habawaba International Festival Insieme per insegnare ai più piccoli l'importanza dell'MFCPI





Resus DGNHS FT @renundudley - Jul 30
@awdainty @anabless teaching #skillstoride to the public @westmerclascout
event #lddsavelives @UKScouring @ERC\_resus @flesusCouncilUK



Petra Schuffelen @pipm\_schuffelen - May 23
Keep the #heartbeat going #CPR training students and teachers
@Blasscurn\_OGVO with medical students @TaskforceQRS #kidssavelives
@Blemburg



NZ Resus Council @NZResusCouncil : May 6
ANZCOR will be releasing a #RidsSavetives app. First look at #SpackofLife2017
@IARC resus @NZResusCouncil






























# 1<sup>st</sup> ERC Research Summer School 26<sup>th</sup> Sept 2017 - Freiburg











**#KidsSaveLives** 



# **Kids Save Lives ERC 2017**











## **European Restart Heart Day**













## Viva! 2013-2015

# 13.14OTTOBRE DALL'EVIDENZA AI TRATTAMENTI FUTURI CENTRO CONGRESSI MAGAZZINI DEL COTONE PORTO ANTICO GENOVA

























# 22<sup>nd</sup> October 2016, Milan Mass Tranining «Kids Save Lives»

# 13.14OTTOBRE

CENTRO CONGRESSI MAGAZZINI DEL COTONE PORTO ANTICO GENOVA













The countries with kids with green hair have a legislation about CPR education, the countries with kids with yellow hair have CPR education as a suggestion.

### A SUGGESTION


Cyprus
Czech Republic
Czech Republic
Germeny
Hungary
Luxembourg
Malta
Netherlands
Norway
Poland
Romania
Russia
Serbia
Slevenia
Swiss/Ticina
Turkey
United Kingdom





# Kids save lives in Italy







"Top-down"



# 7<sup>th</sup> October 2015 Chamber of Deputies Rome













# 7<sup>th</sup> October 2015 Chamber of Deputies Rome










### Kids save lives in Italy





"Bottom-up"





#### 16th Oct 2015 – ERHD Italy



«Kids save lives» free training kit for schools:

- Training materials for teachers (primary/secondary schools)
- Training videos
- Testimonial videos

Fre App «A breathtaking picnic» for primary schools

Free videogames «Relive» for secondary schools



Free Poster e Videos



# Training Materials Primary Schools








Choking



# Training Materials Secondary Schools







**Cardiac Arrest** 



#### **Kids Save Lives in Italy**



Resuscitation 111 (2017) e5-e6



#### Contents lists available at ScienceDirect

#### Resuscitation





Letter to the Editor

"Kids Save Lives" campaign in Italy: A picture from a nationwide survey on the web



20.

Recently, we conducted a survey on cardiac arrest knowledge in Italian schoolchildren. The Italian Resuscitation Council (IRC) and the Skuola.net1 developed an online survey launched to all visitors of Skuola.net website (over 3,700,000 unique browser/months, over 1,000,000 registered member, over 780,000 Facebook fans) for ten days during October 2016. We used the data of survey for a viral web campaign during Viva! 2016 (17th-23th October 2016) and we created an infographic for students (Fig. 1). The survey included ten multiple-choice questions on: CPR algorithm knowledge, information about AED and first aid training implementation in the school, We collected 9500 responses from young people between 11 and 25 years old: 1% under 11 years old, 9% 11-13, 43% 14-16, 34% 17-19, 9% 19-25, and 4% over 25 years old. Female were 63% and male 37%, Only 43% of students would evaluate the consciousness calling and shaking the victim, 41% would call the emergency medical service, 11% would slap the victim's face, and 5% would go into the panic. For checking sign of life, 40% would use breathing looking, listening and feeling, 33% would put his ears on the thorax to listen for heartbeats, 27% would put fingers close to nose and mouth. If the victim is unconscious and not breathing, 83% would call the emergency number, 12% would call for parents, and 5% would go into panic, Regarding the Italian medical emergency number: 88% responded correctly, i.e. 118/112, 5% would call 911 (US EMS number), and 7% would call 113 and 115 (police and firefighter numbers). If the EMS dispatcher would ask them to try to start CPR: 58% would not be able to start but compliant to operator instructions, 31% would start on the basis of previous knowledge, and 11% would not know what to do. About the victim's position to perform CPR: 69% answered supine, 3% prone, 25% answered that was better not to move the victim in the suspect of trauma, and 3% did not know. About chest compression rate, only 20% of students answered correctly, 100-120/min. The majority of students (84%) was not ready to use an AED. We asked about AED presence in their school: 49% did not know, 26% answered yes, 25% answered no. Finally, 74% of students had never participated to a CPR training course and 95% considered the CPR knowledge useful, while 5% did not. Most of the responders (with a peek in the 14-19 years old) agreed with a mandatory teaching of first aid in schools. This survey provides a realistic picture of the Italian schoolchildren education and attitude towards CPR. The information obtained depicts the staring point of students' CPR knowledge and is useful for designing the implementation of Kids save lives campaign in Italy.2-4



Fig. 1. Cardiac arrest in class infographic.

#### Conflict of interest statement

All the authors are members of Italian Resuscitation Council Executive Committee

We collected 9.500 responses from young people between 11 and 25 years old:

1% under 11 years old, 9% 11–13, 43% 14–16, 34% 17–19, 9% 19–25, and 4% over 25 years old. Female were 63% and male 37%.

95% of the responders thinks that being able to resuscitate a person is useful


92% of the responders agreed with a mandatory teaching of first aid in schools.


Semeraro et al. Resuscitation. 2017 Feb;111:e5-e6.



#### **Kids Save Lives in Italy**









#### A breathtaking picnic

App / Digital tale (6-10 years old)



Free App for iOS and Android.

Topic: Cardiac Arrest adult & Infant/Child Choking

Language: Italian, English, French, Deutsch, Nederlands















## relivegame.org




Relive is a free sci-fi adventure game about CPR. Its main purpose is to increase the awareness about this topic and encourage people to take a CPR class and be prepared to intervene in case of need.

Discover the story and challenge your friends in tournament mode!

Language: Italian, English, Dutch









#### Kids save lives 2017













### **#LLAP #ERHD**



16<sup>th</sup> October 2017





www.irconcil.it/LLAP





# Kids Save Lives Social Media Community





www.facebook.com/KIDSAVELIVES/

@Kids\_SaveLives





#### ERC 2018 Stay Tuned & Save the date











## CATCH THE BEAT WITH THE "LIVE LONG AND PROSPER" VIRAL SLOGAN!

Help to spread cardiac arrest awareness in the medical literature

"A life is like a garden. Perfect moments can be had, but not preserved, except in memory. LLAP (Live Long and Prosper)" by Leonard Nimoy.

**Leonard Nimoy**, who played Mr. Spock on the original Star Trek series, died on February 27th, 2015 at the age of 83. Nimoy signed all his tweets with "**LLAP**" or "**Live Long and Prosper**", his peculiar catchphrase from the Star Trek series and films. Nimoy had announced via Twitter last year that he had been diagnosed with COPD, a chronic respiratory disease caused by smoking that has no cure (Figure 1). He then encouraged his followers to stop smoking<sup>1</sup>.




#### www.ircouncil.it/LLAP



## JOIN KIDS SAVE LIVES AND FOLLOW US







facebook.com/KIDSAVELIVES



@Kids\_SaveLives



https://kids-save-lives.net



Kids Save Lives - Saving a life is a child's play



#### **Contact**





Prof. Bernd W. Böttiger D.E.A.A., F.E.S.C., F.E.R.C.

E-mail: bernd.boettiger@uk-koeln.de



Dott. Federico Semeraro M.D., F.E.R.C.

E-mail: fsemeraro2008@gmail.com






### Teach & Learn CPR as soon as possible




### Peter Safar's Laws



If you can't win, change the rules

If you can't change the rules, then ignore them

When in doubt, think!











MAY THE 4TH BE WITH YOU.

CPR SAVES
LIVES!